10. Equilibrium I

Many	react	tions	are	reversibl	e
	$N_{2} +$	3H ₂		\Rightarrow 2NH ₃	

Dynamic equilibrium occurs when **forward** and **backward** reactions are occurring at **equal rates**. The **concentrations** of reactants and products stays **constant** and the reaction is continuous.

Le Chatelier's Principle

We use Le Chatelier's principle to work out how changing external conditions such as temperature and pressure affect the position of equilibrium

Effect of Temperature on equilibrium

If temperature is increased the **equilibrium will shift to oppose** this and move in the **endothermic** direction to try to **reduce the temperature** by absorbing heat.

And its reverse

If temperature is decreased the **equilibrium** will shift to oppose this and move in the **exothermic** direction to try to **increase the temperature** by giving out heat. All reversible reactions reach an **dynamic equilibrium** state.

We use the expression '**position of equilibrium**' to describe the composition of the equilibrium mixture.

If the position of equilibrium favours the reactants (also described as "towards the left") then the equilibrium mixture will contain mostly reactants.

Le Chatelier's principle states that if an external condition is changed the equilibrium will shift to oppose the change (and try to reverse it).

Typical Exam question: What effect would increasing temperature have on the yield of ammonia?

$$N_2 + 3H_2 \implies 2NH_3 \quad \Delta H = -ve exo$$

Exam level answer : must include bold points

If temperature is increased the **equilibrium will shift to oppose** this and move in the **endothermic**, **backwards** direction to try to **decrease temperature**. The position of equilibrium will **shift towards the left**, giving a **lower yield of ammonia**.

Low temperatures may give a higher yield of product but will also result in slow rates of reaction. Often a compromise temperature is used that gives a reasonable yield and rate

Effect of Pressure on equilibrium

Increasing pressure will cause the equilibrium to shift towards the side with **fewer moles of gas** to **oppose the change** and thereby **reduce the pressure**.

And its reverse

Decreasing pressure will cause the equilibrium to shift towards the side with **more moles of gas** to **oppose the change** and thereby increase the pressure.

If the number of moles of gas is the same on both sides of the equation then changing pressure will have no effect on the position of equilibrium

 $H_2 + Cl_2 \longrightarrow 2HCl$

Typical Exam question: What effect would increasing pressure have on the yield of methanol?

$$CO_{(g)} + 2H_{2(g)} \longrightarrow CH_3OH_{(g)}$$

Exam level answer : must include bold points

If pressure is increased the **equilibrium will shift** to oppose this and move towards the side with fewer moles of gas to try to reduce the pressure. The position of equilibrium will shift towards the right because there are 3 moles of gas on the left but only 1 mole of gas on the right, giving a higher yield of methanol.

Increasing pressure may give a higher yield of product and will produce a faster rate. Industrially high pressures are expensive to produce (high electrical energy costs for pumping the gases to make a high pressure) and the equipment is expensive (to contain the high pressures)

Effect of Concentration on equilibrium

 $I_2 + 2OH^- \longrightarrow I^- + IO^- + H_2O$ brown colourless Increasing the concentration OH⁻ ions causes the **equilibrium to shift to oppose** this and move in the **forward** direction **to remove OH⁻ ions**. The position of equilibrium will **shift towards the right**, giving a **higher yield of I⁻ and IO⁻**. (The colour would change from brown to colourless)

Adding H⁺ ions reacts with the OH⁻ ions and reduces their concentration so the equilibrium shifts back to the left giving brown colour.

Effect of Catalysts on equilibrium

A catalyst has **no effect** on the position of equilibrium, but it will speed up the rate at which the equilibrium is achieved.

It does not effect the position of equilibrium because it speeds up the rates of the forward and backward reactions by the same amount.

Importance of equilibrium to industrial processes

You should be able to apply the above ideas to given reactions

Common examples

Contact process Haber process Stage 1 S (s) + O_2 (g) \rightarrow SO₂ (g) $N_2 + 3H_2 \implies 2NH_3 \quad \Delta H = -ve exo$ **Stage 2** SO_{2 (g)} + $\frac{1}{2}$ O_{2 (g)} \implies SO_{3 (g)} Δ H = -98 kJ mol⁻¹ T= 450°C, P= 200 - 1000 atm, catalyst = iron T= 450°C, P= 1 to 2 atm, catalyst = V_2O_5 Low temp gives good yield but slow rate: Low temp gives good yield but slow rate: compromise compromise temp used moderate temp used High pressure gives good yield and high rate: High pressure gives slightly better yield and high rate: too too high a pressure would lead to too high high a pressure would lead to too high energy costs for energy costs for pumps to produce the pressure pumps to produce the pressure Hydration of ethene to produce ethanol Production of methanol from CO $CH_2 = CH_2 (g) + H_2O (g) = CH_3CH_2OH_{(I)} \Delta H = -ve$ $CO_{(q)} + 2H_{2(q)} \longrightarrow CH_3OH_{(q)}\Delta H = -ve exo$ T= 300°C, P= 70 atm, catalyst = conc H_3PO_4 T= 400°C, P= 50 atm, catalyst = chromium and zinc oxides Low temp gives good yield but slow rate: compromise temp used Low temp gives good yield but slow rate: compromise temp used High pressure gives good yield and high rate: too high a pressure would lead to too high energy costs for pumps High pressure gives good yield and high rate: to produce the pressure too high a pressure would lead to too high energy costs for pumps to produce the pressure High pressure also leads to unwanted polymerisation of ethene to poly(ethene)

In all cases catalysts speeds up the rate allowing lower temp to be used (and hence lower energy costs) but have no effect on equilibrium

In all cases high pressure leads to **too high energy costs for pumps** to produce the pressure and **too high equipment costs** to have equipment that can withstand high pressures.

Recycling unreacted reactants back into the reactor can improve the overall yields of all these processes



Calculating Kc

For the following equilibrium

Example

 $H_{2(g)} + CI_{2(g)} \longrightarrow 2HCI_{(g)}$

In a container of volume 600 cm³ at equilibrium the concentrations of the substances were 0.67 mol dm⁻³ of H_2 and 0.83 mol dm⁻³ of Cl_2 and 0.33 mol dm⁻³ HCl. Calculate Kc

Kc= $\frac{[\text{HCl}_{(g)}]^2}{[\text{H}_2(g)][\text{Cl}_2(g)]}$ Kc = $\frac{0.33^2}{0.67 \times 0.83}$ = 0.196 no unit

Effect of changing conditions on value of Kc

The larger the Kc the greater the amount of products. If Kc is small we say the equilibrium favours the reactants Kc only changes with temperature. It does not change if pressure or concentration is altered. A catalyst also has no effect on Kc